

5 IRR 34,270,000

TC-R3105 Spec:I/B/L/S/Eu

- Up to 5-channel input
- S+265/H.265/H.264 video formats
- HDMI Video output at up to 1920x1080 resolution
- 1 SATA interface, up to 6TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps network interface
- Up to 5MP resolution



6 IRR 52,910,000

TC-R3105 Spec:I/B/P/L/S

- Up to 5-channel input
- S+265/H.265/H.264 video formats
- Up to 5MP resolution
- 8 POE ports
- HDMI Video output at up to 1920 x 1080 resolution
- 1 SATA interface, up to 6TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps



7 IRR 39,100,000

TC-R3110 Spec:I/B/L/S/Eu

- Up to 10- channel Input
- S+265/H.265/H.264 video formats
- Up to 5MP resolution
- HDMI Video output at up to 4K resolution
- 1 SATA interface, up to 6TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps



8 IRR 63,745,000

TC-R3110 Spec:I/B/P8/L/S

- Up to 10-channel input
- S+265/H.265/H.264 video formats
- 8 PoE ports
- Up to 5MP resolution
- HDMI Video output at up to 4K (3840 x 2160) resolution
- 1 SATA interface, up to 6TB for 1 HDD



38 IRR 42,550,000

TC-R3110 Spec:I/B/L/Eu

- Up to 10-channel input
- S+265/H.265/H.264 video formats
- up to 6MP resolution
- 1xHDMI and 1xVGA
- HDMI Video output at up to 4K resolution
- 1 SATA interface, up to 8TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps network interface



39 IRR 47,850,000

TC-R3110 Spec:I/B/V3.0

- Up to 10-channel input
- S+265, H.265, S+264, H.264 video formats
- Up to 6MP resolution
- HDMI and VGA
- HDMI Video output at up to 4K(3840×2160) resolution
- 1 SATA interface, up to 10TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps network interface



40 IRR 98,785,000

TC-R3120 Spec:I/B/K/V3.0

- Up to 20-channel input
- S+265, H.265, S+264, H.264 video formats
- Up to 8MP resolution
- 1 HDMI and 1 VGA
- HDMI Video output at up to 4K (3840×2160) resolution
- 1 SATA interface, up to 10TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps network interface



41 IRR 130,900,000

TC-R3220 Spec:I/B/K

- Up to 20-channel input
- S+265, H.265, S+264, H.264 video formats
- Up to 8MP resolution
- 1 HDMI and 1 VGA
- HDMI Video output at up to 4K (3840×2160) resolution
- 2 SATA interface, up to 10TB for 1 HDD
- 1xRJ45 self-adaptive 10/100/100 Mbps network interface



33 IRR 209,300,000

TC-R3432 Spec:I/B/K/V3.1

- Up to 32-ch IP camera inputs
- S+265, H.265, S+264, H.264 video formats
- up to 8MP resolution HD Output
- HDMI Video output at up to 4K resolution
- 4 SATA interface, up to 10TB for each HDD
- 1xRJ45 self-adaptive 10/100/1000 Mbps network interface
- PoE Port: 8xRJ45 self-adaptive 10/100 Mbps network interfaces
- 1xHDMI and 1xVGA



34 IRR 281,750,000

TC-R3440 Spec:I/B/N/H/C

- Up to 40-channel input
- S+265/H.265/H.264 video formats
- HDMI and VGA
- HDMI Video output at up to 4K resolution (3840 x 2160)
- 4 SATA interface, up to 10TB for each HDD
- 2xRJ45 self-adaptive 10/100/1000 Mbps network interface
- up to 12MP resolution



35 IRR 37,950,000

TC-R3105 Spec:I/B/L/EU

- Up to 5-ch IP camera inputs
- S+265/H.265/H.264 video formats
- up to 6MP resolution
- HDMI and VGA
- 1 SATA interface, up to 8TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps network interface
- HDMI Video output at up to 4K (3840x2160) resolution



36 IRR 57,750,000

TC-R3105 Spec:I/B/P/L

- Up to 5-ch IP camera inputs
- S+265/H.265/H.264 video formats
- up to 6MP resolution
- HDMI and VGA
- 1 SATA interface, up to 8TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps network interface
- HDMI Video output at up to 4K (3840x2160) resolution



37 IRR 42,525,000

TC-R3108 Spec:I/B

- Up to 8-ch IP camera inputs
- S+265/H.265/H.264 video formats
- up to 6MP resolution
- 1 HDMI and 1 VGA
- 1 SATA interface, up to 8TB for 1 HDD
- 1xRJ45 self-adaptive 10/100 Mbps network interface
- HDMI Video output at up to 4K (3840x2160) resolution
- USB interface: 2xUSB 2.0
- Aluminum Plastic Housing



69 IRR 446,775,000

TC-R3440 Spec:I/B/N

- Up to 40 IP cameras can be connected
- S+265/H.265/H.264 video formats
- Up to 12MP resolution
- HDMI and VGA
- HDMI Video output at up to 4K (3840 × 2160) resolution
- 4 SATA interfaces , up to 10TB for each HDD
- 2×RJ45 self-adaptive 10/100/1000 Mbps network interfaces



70 IRR 498,250,000

TC-R3840 Spec:I/B/N

- Up to 40 IP cameras can be connected
- S+265/H.265/H.264 video formats
- Up to 12MP resolution
- HDMI and VGA
- HDMI Video output at up to 4K (3840 × 2160) resolution
- 8 SATA interfaces , up to 10TB for each HDD
- 2×RJ45 self-adaptive 10/100/1000 Mbps network interfaces

